




- Mogg is a stainless steel components manufacturing firm, that specializes in railing systems, standoff systems and other architectural components.
- We provide modular non-welded assemblies that are interchangeable within the systems.
- Inherent modular structure of our systems create endless design possibilities.
- Our products are so versatile and aesthetically attractive that they can be used in any space that requires a stainless steel touch.

Stainless Steel Architectural Systems & Components

Railing Systems

ZeX System	6	ZeX
ZeTera System	12	ZeTera
ZeTera Classic System	18	ZeTera C
ZeTera Light System	19	ZeTera L
ZeTera Bar System	22	ZeTera B
ZeMer System	26	ZeMer
Structural Glazing Glass Connectors	30	Struct. Gl.
Brackets	34	Brackets

Standoff Systems

Standoff Base Type T	42	Base T
Standoff Base Type C	44	Base C
Washer & Bolt	45	Washer
Standoff Cap	46	Cup
Standoff Cap V	47	Cup V
Standoff Nut	48	Nut
Gaskets & Sleeves	49	Gaskets

Index



ZeX System

Mediacom Toronto
Design: HOK Canada Inc.
Photo: richardjohnson.ca

ZeX

SS313 ZeX Double Sided POST
SS413 ZeX Single Sided POST
SS713 ZeX POST - No Panel Brackets

ZeX Vertical Mount

SS513 ZeX Double Sided Vertical Mount POST
SS613 ZeX Single Sided Vertical Mount POST
SS813 ZeX Vertical Mount POST - No Panel Brackets



SS413

SS313

SS613



SS513

- ▶ ZeX Post Assembly includes all necessary brackets: base flange, panel brackets and rail support bracket.
- ▶ Post assemblies are preassembled - no assembly necessary.
- ▶ There are two standard heights of the post - for guard rail and for stairs.
- ▶ Standard setup can be modified - we can add extra brackets or supply without rail support pin, also height of the post can be modified.
- ▶ Handrail can be stainless steel as well as wooden.
- ▶ All our systems have brushed stainless steel finish.


ZeX System

Specifications


- ▶ Assembly Components
 - Double flat bar 1/2" x 2",
 - Rail Support - 2" high vertical pin (height adjustment),
 - 2 or 4 SS113-S ZeX Panel Brackets,
 - Base Flange 5"x5"x1/2" or 4"x4"x1/2"
- ▶ Material
 - Stainless Steel 304/304L
- ▶ Finish
 - #6 (240grit) Brushed




Commercial




Residential



Commercial & Residential






ZeX System

ZeTera

SS271 ZeTera Double Sided POST
SS272 ZeTera Single Sided POST
SS300 ZeTera POST - No Panel Brackets

ZeTera Vertical Mount

SS273 ZeTera Double Sided Vertical Mount POST
SS274 ZeTera Single Sided Vertical Mount POST
SS400 ZeTera Vertical Mount POST - No Panel Brackets



- ▶ ZeTera Post Assembly includes all necessary brackets: base flange, panel brackets and rail support bracket.
- ▶ Post assemblies are preassembled - no assembly necessary.
- ▶ There are two standard heights of the post - for guard rail and for stairs.
- ▶ Standard setup can be modified - we can add extra brackets or supply without rail support pin, also height of the post can be modified.
- ▶ Handrail can be stainless steel as well as wooden.
- ▶ All our systems have brushed stainless steel finish.

ZeTera System

Specifications

► Assembly Components


Single flat bar 1" x 2",
Rail Support - 2" high vertical pin (height adjustment),
2 or 4 SS113-S ZeX Panel Brackets,
Base Flange 5"x5"x1/2" or 4"x4"x1/2"

► Material


Stainless Steel 304/304L

► Finish


#6 (240grit) Brushed



Commercial



Residential



Commercial & Residential



ZeTera System

ZeTera Classic

SS471 ZeTera Classic POST
SS300 ZeTera POST - No Panel Brackets

ZeTera Classic Vertical Mount

SS472 ZeTera Classic Vertical Mount POST
SS400 ZeTera Vertical Mount POST - No Panel Brackets



ZeTera Classic

SS472

SS471

ZeTera Light

SS372


SS371

ZeTera System

Specifications

- ▶ Assembly Components
 - Single flat bar 1" x 2",
 - Rail Support - 2" high vertical pin (height adjustment),
 - 2 SS107-T Double Sided Panel Brackets,
 - Base Flange 5"x5"x1/2" or 4"x4"x1/2"
- ▶ Material
 - Stainless Steel 304/304L
- ▶ Finish
 - #6 (240grit) Brushed


ZeTera Classic



Specifications

- ▶ Assembly Components
 - Single flat bar 1" x 2",
 - Rail Support - 2" high vertical pin (height adjustment),
 - 2 SS134 Single Point Panel Brackets,
 - Base Flange 5"x5"x1/2" or 4"x4"x1/2"
- ▶ Material
 - Stainless Steel 304/304L
- ▶ Finish
 - #6 (240grit) Brushed

ZeTera Light





ZeTera Bar

SS572 ZeTera Bar - 2 Bar Brackets POST
 SS573 ZeTera Bar - 3 Bar Brackets POST
 SS574 ZeTera Bar - 4 Bar Brackets POST
 SS578 ZeTera Bar - 8 Bar Brackets POST
 SS300 ZeTera POST - No Bar Brackets

- ▶ ZeTera Bar Post Assembly includes all necessary brackets: base flange, bar brackets and rail support bracket.
- ▶ Post assemblies are preassembled - no assembly necessary.
- ▶ There are two standard heights of the post - for guard rail and for stairs.
- ▶ Standard setup can be modified - we can add extra brackets or supply without rail support pin, also height of the post can be modified.
- ▶ Handrail can be stainless steel as well as wooden.
- ▶ All our systems have brushed stainless steel finish.

ZeTera Bar

ZeTera System


ZeTera Bar Vertical Mount

SS672 ZeTera Bar - 2 Bar Brackets Vertical Mount POST
 SS673 ZeTera Bar - 3 Bar Brackets Vertical Mount POST
 SS674 ZeTera Bar - 4 Bar Brackets Vertical Mount POST
 SS679 ZeTera Bar - 9 Bar Brackets Vertical Mount POST
 SS400 ZeTera Vertical Mount POST - No Bar Brackets




Specifications


- ▶ Assembly Components
 - Single flat bar 1" x 2",
 - Rail Support - 2" high vertical pin (height adjustment),
 - 2, 3, 4, 8, 9 SS105-T07 Bar Brackets,
 - Base Flange 5"x5"x1/2" or 4"x4"x1/2"
- ▶ Material
 - Stainless Steel 304/304L
- ▶ Finish
 - #6 (240grit) Brushed



Commercial



Residential



Commercial & Residential



ZeMer

SS363 ZeMer Double Sided POST
SS463 ZeMer Single Sided POST
SS763 ZeMer POST - No Panel Brackets



SS463

SS363

ZeMer System

ZeMer Vertical Mount

SS563 ZeMer Double Sided Vertical Mount POST
SS663 ZeMer Single Sided Vertical Mount POST
SS863 ZeMer Vertical Mount POST - No Panel Brackets



SS663

SS563

- ▶ ZeMer Post Assembly includes all necessary brackets: base flange, panel brackets and rail support bracket.
- ▶ Post assemblies are preassembled - no assembly necessary.
- ▶ There are two standard heights of the post - for guard rail and for stairs.
- ▶ Standard setup can be modified - we can add extra brackets or supply without rail support pin, also height of the post can be modified.
- ▶ Handrail can be stainless steel as well as wooden.
- ▶ All our systems have brushed stainless steel finish.

Specifications

► Assembly Components


Double flat bar 1/2" x 2",
Rail Support - 2" high vertical pin (height adjustment),
2 or 4 SS163-S ZeMer Panel Brackets,
Base Flange 5"x5"x1/2" or 4"x4"x1/2"

► Material


Stainless Steel 304/304L

► Finish


#6 (240grit) Brushed



Commercial



Residential



Commercial & Residential

Standoff Nut (thread 1/2-13)

Height	2" Diameter	2-1/2" Diameter	3" Diameter
3/4"	SS352-07D20	SS352-07D25	SS352-07D30
1"	SS352-10D20	SS352-10D25	SS352-10D30


Standoff Base Type T (thread 1/2-13)

Height	2" Diameter	2-1/2" Diameter	3" Diameter
3/4"	SS350-07D20	SS350-07D25	SS350-07D30
1"	SS350-10D20	SS350-10D25	SS350-10D30
1-1/2"	SS350-15D20	SS350-15D25	SS350-15D30
2"	SS350-20D20	SS350-20D25	SS350-20D30
2-1/2"	SS350-25D20	SS350-25D25	SS350-25D30

Glass Connectors



Base Type T & Nut




Structural Glazing




Structural Glazing

SS113 - ZeX Panel Bracket



SS119 - HD ZeX Panel Bracket



Brackets



SS107 - ZePer Panel Bracket



SS107



SS108




Brackets

SS163 - ZeMer Panel Bracket



SS163-S




SS209 - Rail Support




SS209-G




SS209-W



SS109 - Rail Support




SS181 - Swivel Cap




Brackets

SS106 - Bar-Panel Bracket



SS034 - End Cap





Standoff Systems

1/2" Diameter

Height	1/4-20 Thread
1/4"	SS050-02D05
1/2"	SS050-05D05
3/4"	SS050-07D05
1"	SS050-10D05
1-1/2"	SS050-15D05
2"	SS050-20D05
2-1/2"	SS050-25D05
3"	SS050-30D05
3-1/2"	SS050-35D05
4"	SS050-40D05
5"	SS050-50D05
6"	SS050-60D05

3/4" Diameter





Height	1/4-20 Thread	5/16-18 Thread	3/8-16 Thread	1/2-20 Thread	1/2-13 Thread
1/4"	SS050-02D07	SS750-02D07	SS450-02D07	SS250-02D07	SS350-02D07
1/2"	SS050-05D07	SS750-05D07	SS450-05D07	SS250-05D07	SS350-05D07
3/4"	SS050-07D07	SS750-07D07	SS450-07D07	SS250-07D07	SS350-07D07
1"	SS050-10D07	SS750-10D07	SS450-10D07	SS250-10D07	SS350-10D07
1-1/2"	SS050-15D07	SS750-15D07	SS450-15D07	SS250-15D07	SS350-15D07
2"	SS050-20D07	SS750-20D07	SS450-20D07	SS250-20D07	SS350-20D07
2-1/2"	SS050-25D07	SS750-25D07	SS450-25D07	SS250-25D07	SS350-25D07
3"	SS050-30D07	SS750-30D07	SS450-30D07	SS250-30D07	SS350-30D07
3-1/2"	SS050-35D07	SS750-35D07	SS450-35D07	SS250-35D07	SS350-35D07
4"	SS050-40D07	SS750-40D07	SS450-40D07	SS250-40D07	SS350-40D07
5"	SS050-50D07	SS750-50D07	SS450-50D07	SS250-50D07	SS350-50D07
6"	SS050-60D07	SS750-60D07	SS450-60D07	SS250-60D07	SS350-60D07
8"	SS050-80D07	SS750-80D07	SS450-80D07	SS250-80D07	SS350-80D07
10"	SS050-100D07	SS750-100D07	SS450-100D07	SS250-100D07	SS350-100D07

1" Diameter

Height	1/4-20 Thread	5/16-18 Thread	3/8-16 Thread	1/2-20 Thread	1/2-13 Thread
1/4"	SS050-02D10	SS750-02D10	SS450-02D10	SS250-02D10	SS350-02D10
1/2"	SS050-05D10	SS750-05D10	SS450-05D10	SS250-05D10	SS350-05D10
3/4"	SS050-07D10	SS750-07D10	SS450-07D10	SS250-07D10	SS350-07D10
1"	SS050-10D10	SS750-10D10	SS450-10D10	SS250-10D10	SS350-10D10
1-1/2"	SS050-15D10	SS750-15D10	SS450-15D10	SS250-15D10	SS350-15D10
2"	SS050-20D10	SS750-20D10	SS450-20D10	SS250-20D10	SS350-20D10
2-1/2"	SS050-25D10	SS750-25D10	SS450-25D10	SS250-25D10	SS350-25D10
3"	SS050-30D10	SS750-30D10	SS450-30D10	SS250-30D10	SS350-30D10
3-1/2"	SS050-35D10	SS750-35D10	SS450-35D10	SS250-35D10	SS350-35D10
4"	SS050-40D10	SS750-40D10	SS450-40D10	SS250-40D10	SS350-40D10
5"	SS050-50D10	SS750-50D10	SS450-50D10	SS250-50D10	SS350-50D10
6"	SS050-60D10	SS750-60D10	SS450-60D10	SS250-60D10	SS350-60D10
8"	SS050-80D10	SS750-80D10	SS450-80D10	SS250-80D10	SS350-80D10
10"	SS050-100D10	SS750-100D10	SS450-100D10	SS250-100D10	SS350-100D10

1-1/2" Diameter

Height	1/4-20 Thread	5/16-18 Thread	3/8-16 Thread	1/2-20 Thread	1/2-13 Thread
1/4"	SS050-02D15	SS750-02D15	SS450-02D15	SS250-02D15	SS350-02D15
1/2"	SS050-05D15	SS750-05D15	SS450-05D15	SS250-05D15	SS350-05D15
3/4"	SS050-07D15	SS750-07D15	SS450-07D15	SS250-07D15	SS350-07D15
1"	SS050-10D15	SS750-10D15	SS450-10D15	SS250-10D15	SS350-10D15
1-1/2"	SS050-15D15	SS750-15D15	SS450-15D15	SS250-15D15	SS350-15D15
2"	SS050-20D15	SS750-20D15	SS450-20D15	SS250-20D15	SS350-20D15
2-1/2"	SS050-25D15	SS750-25D15	SS450-25D15	SS250-25D15	SS350-25D15
3"	SS050-30D15	SS750-30D15	SS450-30D15	SS250-30D15	SS350-30D15
3-1/2"	SS050-35D15	SS750-35D15	SS450-35D15	SS250-35D15	SS350-35D15
4"	SS050-40D15	SS750-40D15	SS450-40D15	SS250-40D15	SS350-40D15
5"	SS050-50D15	SS750-50D15	SS450-50D15	SS250-50D15	SS350-50D15
6"	SS050-60D15	SS750-60D15	SS450-60D15	SS250-60D15	SS350-60D15
8"	SS050-80D15	SS750-80D15	SS450-80D15	SS250-80D15	SS350-80D15
10"	SS050-100D15	SS750-100D15	SS450-100D15	SS250-100D15	SS350-100D15



2" Diameter

Height	3/8-16 Thread	1/2-20 Thread	1/2-13 Thread
1/2"	SS450-05D20	SS250-05D20	SS350-05D20
3/4"	SS450-07D20	SS250-07D20	SS350-07D20
1"	SS450-10D20	SS250-10D20	SS350-10D20
1-1/2"	SS450-15D20	SS250-15D20	SS350-15D20
2"	SS450-20D20	SS250-20D20	SS350-20D20
2-1/2"	SS450-25D20	SS250-25D20	SS350-25D20
3"	SS450-30D20	SS250-30D20	SS350-30D20
3-1/2"	SS450-35D20	SS250-35D20	SS350-35D20
4"	SS450-40D20	SS250-40D20	SS350-40D20
5"	SS450-50D20	SS250-50D20	SS350-50D20
6"	SS450-60D20	SS250-60D20	SS350-60D20
8"	SS450-80D20	SS250-80D20	SS350-80D20
10"	SS450-100D20	SS250-100D20	SS350-100D20

2-1/2" Diameter

Height	3/8-16 Thread	1/2-20 Thread	1/2-13 Thread
1/2"	SS450-05D25	SS250-05D25	SS350-05D25
3/4"	SS450-07D25	SS250-07D25	SS350-07D25
1"	SS450-10D25	SS250-10D25	SS350-10D25
1-1/2"	SS450-15D25	SS250-15D25	SS350-15D25
2"	SS450-20D25	SS250-20D25	SS350-20D25
2-1/2"	SS450-25D25	SS250-25D25	SS350-25D25
3"	SS450-30D25	SS250-30D25	SS350-30D25
3-1/2"	SS450-35D25	SS250-35D25	SS350-35D25
4"	SS450-40D25	SS250-40D25	SS350-40D25
5"	SS450-50D25	SS250-50D25	SS350-50D25
6"	SS450-60D25	SS250-60D25	SS350-60D25
8"	SS450-80D25	SS250-80D25	SS350-80D25
10"	SS450-100D25	SS250-100D25	SS350-100D25

3" Diameter

Height	1/2-20 Thread	1/2-13 Thread
1/2"	SS250-05D30	SS350-05D30
3/4"	SS250-07D30	SS350-07D30
1"	SS250-10D30	SS350-10D30
1-1/2"	SS250-15D30	SS350-15D30
2"	SS250-20D30	SS350-20D30
2-1/2"	SS250-25D30	SS350-25D30
3"	SS250-30D30	SS350-30D30
3-1/2"	SS250-35D30	SS350-35D30
4"	SS250-40D30	SS350-40D30
5"	SS250-50D30	SS350-50D30
6"	SS250-60D30	SS350-60D30
8"	SS250-80D30	SS350-80D30
10"	SS250-100D30	SS350-100D30

4" Diameter

Height	1/2-20 Thread	1/2-13 Thread
1/2"	SS250-05D40	SS350-05D40
3/4"	SS250-07D40	SS350-07D40
1"	SS250-10D40	SS350-10D40
1-1/2"	SS250-15D40	SS350-15D40
2"	SS250-20D40	SS350-20D40
2-1/2"	SS250-25D40	SS350-25D40
3"	SS250-30D40	SS350-30D40
3-1/2"	SS250-35D40	SS350-35D40
4"	SS250-40D40	SS350-40D40
5"	SS250-50D40	SS350-50D40
6"	SS250-60D40	SS350-60D40
8"	SS250-80D40	SS350-80D40
10"	SS250-100D40	SS350-100D40

Standoffs

1/2" Diameter

Height	1/4" Hole
1/4"	SS024-02D05
1/2"	SS024-05D05
3/4"	SS024-07D05
1"	SS024-10D05
1-1/2"	SS024-15D05

3/4" Diameter

Height	1/4" Hole	5/16" Hole	3/8" Hole	1/2" Hole
1/4"	SS024-02D07	SS724-02D07	SS424-02D07	SS224-02D07
1/2"	SS024-05D07	SS724-05D07	SS424-05D07	SS224-05D07
3/4"	SS024-07D07	SS724-07D07	SS424-07D07	SS224-07D07
1"	SS024-10D07	SS724-10D07	SS424-10D07	SS224-10D07
1-1/2"	SS024-15D07	SS724-15D07	SS424-15D07	SS224-15D07

1" Diameter

Height	1/4" Hole	5/16" Hole	3/8" Hole	1/2" Hole
1/4"	SS024-02D10	SS724-02D10	SS424-02D10	SS224-02D10
1/2"	SS024-05D10	SS724-05D10	SS424-05D10	SS224-05D10
3/4"	SS024-07D10	SS724-07D10	SS424-07D10	SS224-07D10
1"	SS024-10D10	SS724-10D10	SS424-10D10	SS224-10D10
1-1/2"	SS024-15D10	SS724-15D10	SS424-15D10	SS224-15D10

1-1/2" Diameter

Height	1/4" Hole	5/16" Hole	3/8" Hole	1/2" Hole
1/4"	SS024-02D15	SS724-02D15	SS424-02D15	SS224-02D15
1/2"	SS024-05D15	SS724-05D15	SS424-05D15	SS224-05D15
3/4"	SS024-07D15	SS724-07D15	SS424-07D15	SS224-07D15
1"	SS024-10D15	SS724-10D15	SS424-10D15	SS224-10D15
1-1/2"	SS024-15D15	SS724-15D15	SS424-15D15	SS224-15D15

2" Diameter



Height	3/8" Hole	1/2" Hole
1/2"	SS424-05D20	SS224-05D20
3/4"	SS424-07D20	SS224-07D20
1"	SS424-10D20	SS224-10D20
1-1/2"	SS424-15D20	SS224-15D20
2"	SS424-20D20	SS224-20D20

2-1/2" Diameter



Height	3/8" Hole	1/2" Hole
1/2"	SS424-05D25	SS224-05D25
3/4"	SS424-07D25	SS224-07D25
1"	SS424-10D25	SS224-10D25
1-1/2"	SS424-15D25	SS224-15D25
2"	SS424-20D25	SS224-20D25

3" Diameter

Height	1/2" Hole
1/2"	SS224-05D30
3/4"	SS224-07D30
1"	SS224-10D30
1-1/2"	SS224-15D30
2"	SS224-20D30



Tee Nuts or Hex Nuts



Round Post Standoff

Washer & Bolt



Stainless Steel Bolts - 1/4-20 thread

Size	1.00"	1.25"	1.50"	1.75"	2.00"	2.50"
1/4"-20	SS029-14100	SS029-14125	SS029-14150	SS029-14175	SS029-14200	SS029-14250

Post 1-1/2" O.D.

1" Diameter

Height	1/4" Hole	5/16" Hole	3/8" Hole	1/2" Hole
1/4"	SS025-02D10	SS725-02D10	SS425-02D10	SS225-02D10
1/2"	SS025-05D10	SS725-05D10	SS425-05D10	SS225-05D10
3/4"	SS025-07D10	SS725-07D10	SS425-07D10	SS225-07D10
1"	SS025-10D10	SS725-10D10	SS425-10D10	SS225-10D10
1-1/2"	SS025-15D10	SS725-15D10	SS425-15D10	SS225-15D10

Post 2" O.D.

1" Diameter

Height	1/4" Hole	5/16" Hole	3/8" Hole	1/2" Hole
1/4"	SS026-02D10	SS726-02D10	SS426-02D10	SS226-02D10
1/2"	SS026-05D10	SS726-05D10	SS426-05D10	SS226-05D10
3/4"	SS026-07D10	SS726-07D10	SS426-07D10	SS226-07D10
1"	SS026-10D10	SS726-10D10	SS426-10D10	SS226-10D10
1-1/2"	SS026-15D10	SS726-15D10	SS426-15D10	SS226-15D10

1-1/2" Diameter

Height	1/4" Hole	5/16" Hole	3/8" Hole	1/2" Hole
1/4"	SS026-02D15	SS726-02D15	SS426-02D15	SS226-02D15
1/2"	SS026-05D15	SS726-05D15	SS426-05D15	SS226-05D15
3/4"	SS026-07D15	SS726-07D15	SS426-07D15	SS226-07D15
1"	SS026-10D15	SS726-10D15	SS426-10D15	SS226-10D15
1-1/2"	SS026-15D15	SS726-15D15	SS426-15D15	SS226-15D15

Washer

D- 1"	D- 1.5"
SS021-D10	SS021-D15

Standoffs

1/2" Diameter

Thread Length	1/4-20 Thread
1/2"	SS051-05D05
3/4"	SS051-07D05
1"	SS051-10D05
1-1/4"	SS051-12D05
1-1/2"	SS051-15D05

3/4" Diameter

Thread Length	1/4-20 Thread	5/16-18 Thread	3/8-16 Thread	1/2-20 Thread
1/2"	SS051-05D07			
3/4"	SS051-07D07	SS751-07D07	SS151-07D07	SS251-07D07
1"	SS051-10D07	SS751-10D07	SS151-10D07	SS251-10D07
1-1/4"	SS051-12D07	SS751-12D07	SS151-12D07	SS251-12D07
1-1/2"	SS051-15D07	SS751-15D07	SS151-15D07	SS251-15D07

1" Diameter


Thread Length	1/4-20 Thread	5/16-18 Thread	3/8-16 Thread	1/2-20 Thread	1/2-13 Thread
1/2"	SS051-05D10				
3/4"	SS051-07D10	SS751-07D10	SS151-07D10	SS251-07D10	SS351-07D10
1"	SS051-10D10	SS751-10D10	SS151-10D10	SS251-10D10	SS351-10D10
1-1/4"	SS051-12D10	SS751-12D10	SS151-12D10	SS251-12D10	SS351-12D10
1-1/2"	SS051-15D10	SS751-15D10	SS151-15D10	SS251-15D10	SS351-15D10

1-1/2" Diameter


Thread Length	1/4-20 Thread	5/16-18 Thread	3/8-16 Thread	1/2-20 Thread	1/2-13 Thread
1/2"	SS051-05D15				
3/4"	SS051-07D15	SS751-07D15	SS151-07D15	SS251-07D15	SS351-07D15
1"	SS051-10D15	SS751-10D15	SS151-10D15	SS251-10D15	SS351-10D15
1-1/4"	SS051-12D15	SS751-12D15	SS151-12D15	SS251-12D15	SS351-12D15
1-1/2"	SS051-15D15	SS751-15D15	SS151-15D15	SS251-15D15	SS351-15D15

2" Diameter

Thread Length	3/8-16 Thread	1/2-20 Thread	1/2-13 Thread
3/4"	SS151-07D20	SS251-07D20	SS351-07D20
1"	SS151-10D20	SS251-10D20	SS351-10D20
1-1/4"	SS151-12D20	SS251-12D20	SS351-12D20
1-1/2"	SS151-15D20	SS251-15D20	SS351-15D20



D - 0.5", 0.75", 1"



D - 1.5", 2", 2.5", 3"

2-1/2" Diameter

Thread Length	1/2-20 Thread	1/2-13 Thread
3/4"	SS251-07D25	SS351-07D25
1"	SS251-10D25	SS351-10D25
1-1/4"	SS251-12D25	SS351-12D25
1-1/2"	SS251-15D25	SS351-15D25

3" Diameter

Thread Length	1/2-20 Thread	1/2-13 Thread
3/4"	SS251-07D30	SS351-07D30
1"	SS251-10D30	SS351-10D30
1-1/4"	SS251-12D30	SS351-12D30
1-1/2"	SS251-15D30	SS351-15D30

4" Diameter

Thread Length	1/2-20 Thread	1/2-13 Thread
3/4"	SS251-07D40	SS351-07D40
1"	SS251-10D40	SS351-10D40
1-1/4"	SS251-12D40	SS351-12D40
1-1/2"	SS251-15D40	SS351-15D40


Standoff Cap V

1" Diameter

Thread Length	1/2-20 Thread
3/4"	SS261-07D10

1-1/2" Diameter

Thread Length	1/2-20 Thread
3/4"	SS261-07D15



1/2" Diameter

Height	1/4-20 Thread
1/2"	SS052-05D05
3/4"	SS052-07D05
1"	SS052-10D05
1-1/2"	SS052-15D05
2"	SS052-20D05
2-1/2"	SS052-25D05

3/4" Diameter

Height	1/4-20 Thread	5/16-18 Thread	3/8-16 Thread	1/2-20 Thread	1/2-13 Thread
1/2"	SS052-05D07	SS752-05D07	SS452-05D07		
3/4"	SS052-07D07	SS752-07D07	SS452-07D07	SS252-07D07	SS352-07D07
1"	SS052-10D07	SS752-10D07	SS452-10D07	SS252-10D07	SS352-10D07
1-1/2"	SS052-15D07	SS752-15D07	SS452-15D07	SS252-15D07	SS352-15D07
2"	SS052-20D07	SS752-20D07	SS452-20D07	SS252-20D07	SS352-20D07
2-1/2"	SS052-25D07	SS752-25D07	SS452-25D07	SS252-25D07	SS352-25D07

1" Diameter

Height	1/4-20 Thread	5/16-18 Thread	3/8-16 Thread	1/2-20 Thread	1/2-13 Thread
1/2"	SS052-05D10	SS752-05D10	SS452-05D10		
3/4"	SS052-07D10	SS752-07D10	SS452-07D10	SS252-07D10	SS352-07D10
1"	SS052-10D10	SS752-10D10	SS452-10D10	SS252-10D10	SS352-10D10
1-1/2"	SS052-15D10	SS752-15D10	SS452-15D10	SS252-15D10	SS352-15D10
2"	SS052-20D10	SS752-20D10	SS452-20D10	SS252-20D10	SS352-20D10
2-1/2"	SS052-25D10	SS752-25D10	SS452-25D10	SS252-25D10	SS352-25D10

1-1/2" Diameter


Height	1/4-20 Thread	5/16-18 Thread	3/8-16 Thread	1/2-20 Thread	1/2-13 Thread
1/2"	SS052-05D15	SS752-05D15	SS452-05D15		
3/4"	SS052-07D15	SS752-07D15	SS452-07D15	SS252-07D15	SS352-07D15
1"	SS052-10D15	SS752-10D15	SS452-10D15	SS252-10D15	SS352-10D15
1-1/2"	SS052-15D15	SS752-15D15	SS452-15D15	SS252-15D15	SS352-15D15
2"	SS052-20D15	SS752-20D15	SS452-20D15	SS252-20D15	SS352-20D15
2-1/2"	SS052-25D15	SS752-25D15	SS452-25D15	SS252-25D15	SS352-25D15
3"	SS052-30D15	SS752-30D15	SS452-30D15	SS252-30D15	SS352-30D15
3-1/2"	SS052-35D15	SS752-35D15	SS452-35D15	SS252-35D15	SS352-35D15
4"	SS052-40D15	SS752-40D15	SS452-40D15	SS252-40D15	SS352-40D15
5"	SS052-50D15	SS752-50D15	SS452-50D15	SS252-50D15	SS352-50D15
6"	SS052-60D15	SS752-60D15	SS452-60D15	SS252-60D15	SS352-60D15
8"	SS052-80D15	SS752-80D15	SS452-80D15	SS252-80D15	SS352-80D15
10"	SS052-100D15	SS752-100D15	SS452-100D15	SS252-100D15	SS352-100D15

2-1/2" Diameter

Height	3/8-16 Thread	1/2-20 Thread	1/2-13 Thread
3/4"	SS452-07D25	SS252-07D25	SS352-07D25
1"	SS452-10D25	SS252-10D25	SS352-10D25
1-1/2"	SS452-15D25	SS252-15D25	SS352-15D25
2"	SS452-20D25	SS252-20D25	SS352-20D25
2-1/2"	SS452-25D25	SS252-25D25	SS352-25D25
3"	SS452-30D25	SS252-30D25	SS352-30D25
3-1/2"	SS452-35D25	SS252-35D25	SS352-35D25
4"	SS452-40D25	SS252-40D25	SS352-40D25
5"	SS452-50D25	SS252-50D25	SS352-50D25
6"	SS452-60D25	SS252-60D25	SS352-60D25
8"	SS452-80D25	SS252-80D25	SS352-80D25
10"	SS452-100D25	SS252-100D25	SS352-100D25

2" Diameter

Height	3/8-16 Thread	1/2-20 Thread	1/2-13 Thread
3/4"	SS452-07D20	SS252-07D20	SS352-07D20
1"	SS452-10D20	SS252-10D20	SS352-10D20
1-1/2"	SS452-15D20	SS252-15D20	SS352-15D20
2"	SS452-20D20	SS252-20D20	SS352-20D20
2-1/2"	SS452-25D20	SS252-25D20	SS352-25D20
3"	SS452-30D20	SS252-30D20	SS352-30D20
3-1/2"	SS452-35D20	SS252-35D20	SS352-35D20
4"	SS452-40D20	SS252-40D20	SS352-40D20
5"	SS452-50D20	SS252-50D20	SS352-50D20
6"	SS452-60D20	SS252-60D20	SS352-60D20
8"	SS452-80D20	SS252-80D20	SS352-80D20
10"	SS452-100D20	SS252-100D20	SS352-100D20




3" Diameter

Height	1/2-20 Thread	1/2-13 Thread
3/4"	SS252-07D30	SS352-07D30
1"	SS252-10D30	SS352-10D30
1-1/2"	SS252-15D30	SS352-15D30
2"	SS252-20D30	SS352-20D30
2-1/2"	SS252-25D30	SS352-25D30
3"	SS252-30D30	SS352-30D30
3-1/2"	SS252-35D30	SS352-35D30
4"	SS252-40D30	SS352-40D30
5"	SS252-50D30	SS352-50D30
6"	SS252-60D30	SS352-60D30
8"	SS252-80D30	SS352-80D30
10"	SS252-100D30	SS352-100D30

Standoffs



Gaskets & Sleeves



Sleeves

Length	1/4" I.D.	5/16" I.D.	3/8" I.D.	1/2" I.D.
1/4"	SS046-02L02	SS046-07L02	SS046-03L02	SS046-05L02
1/2"	SS046-02L05	SS046-07L05	SS046-03L05	SS046-05L05
3/4"	SS046-02L07	SS046-07L07	SS046-03L07	SS046-05L07

Gaskets

Outside Diameter	1/4" I.D.	5/16" I.D.	3/8" I.D.	1/2" I.D.
1/2"	SS041-02D05	SS041-07D05	SS041-03D05	SS041-05D05
3/4"	SS041-02D07	SS041-07D07	SS041-03D07	SS041-05D07
1"	SS041-02D10	SS041-07D10	SS041-03D10	SS041-05D10
1-1/2"	SS041-02D15	SS041-07D15	SS041-03D15	SS041-05D15
2"			SS041-03D20	SS041-05D20
2-1/2"			SS041-03D25	SS041-05D25



ZeX System

Mediacom Toronto
Design: HOK Canada Inc.
Photo: richardjohnson.ca

Stainless Steel Architectural Systems & Components

Available From:

Mogg Constructive Inc.
425 Admiral Blvd., Unit #5
Mississauga ON L5T 2N1
T 905.696.9828
F 905.696.9827
info@mogg.ca
www.mogg.ca



Literature Disclaimer: Presentations in this brochure or any other Mogg publication are correct to the best of our knowledge at time of preparation. We provide this information in an advisory capacity only. Any advisory recommendations given in our publications **must be modified to conform with local codes, conditions and specifications**. We reserve all rights to amend any information published in our literature without additional notice. **Mogg can not be held responsible or liable for the selection nor application of our products.**